

1857.

FERNS & ORCHIDS.

JAMES BACKHOUSE & SON,

YORK

K

CATALOGUE OF FERNS.

JAMES BACKHOUSE and SON have pleasure in offering to their friends a much larger and richer collection of Ferns than they have ever been able to do hitherto. The rapidly increasing popularity of this extremely interesting class of plants, combined with the large amount of personal pleasure they derive from the cultivation of them, has induced them greatly to enlarge their stock. Many species now offered are quite *new* and of *great beauty*. Some of the most distinct and interesting are specially named and briefly described in the first portion of this Catalogue.

J. B. and Son also wish particularly to call attention to their collection of *Tree-Ferns*; of which they possess about *twenty-five species*, besides several which are "sub-arborescent." It is with the belief that no class of plants will better reward the care of cultivators, that they recommend them to general attention. Of free and easy growth, many of these noble ferns rapidly produce crests of fronds, which rival and even exceed in beauty the palm trees of the tropics. What can be more magnificent than an arborescent *Dicksonia*, *Cyathea*, or *Alsophila*, with a trunk seven to ten or twenty feet high, and a crest of graceful fronds twenty or even ten feet across? Or what more interesting than to watch the developement of these fronds as they unfold?

More than one species of *Tree-Fern* thrive well in a cool *shady greenhouse*, requiring little or no artificial heat, except for protection from frost. In a *vinery*, where a little heat is given in winter, these succeed admirably, the shade of the vines appearing to be thoroughly congenial.

J. B. and Son believe that the time is rapidly approaching, when this tribe of ferns, now scarcely known to many, even by report, will receive the attention which is justly their due; and that a new and very striking feature of interest will be added to a large number of the Ferneries, Conservatories, and Greenhouses throughout the country.

(For special List of *Tree-Ferns* see page 5.)

NEW OR RARE FERNS.

- Microlepia Novæ Zealandiæ.** An exquisite fern, with *highly divided* and very elegant, shining, fronds, 6 to 9 inches high; and a creeping hairy rhizoma which in general appearance bears considerable resemblance to the well known *Trichomanes radicans*. 10s. 6d.
- Cheilanthes argentea.** A miniature of *Cheilanthes (Cassebeera) farinosa*. Fronds *silvery white* beneath. Very scarce and pretty. 10s. 6d.
- Nothochlæna tomentosa.** A rare and distinct fern, resembling the much admired *Nothochlæna* or "*Cheilanthes*" *lendigera*, but less divided, and densely clothed with soft *white silky pubescence*. 10s. 6d. to 15s.
- Nothochlæna lendigera.** Nice plants of this almost unrivalled fern, 5s. to 10s. 6d. each.
- Gymnogramma monstrosa.** A new "*gold fern*," with large and handsome fronds. 7s. 6d. to 10s. 6d. each.
- Nothochlæna lanuginosa.** Very distinct and pretty. Fronds small, densely covered beneath with soft white woolly hairs. 7s. 6d.
- Nothochlæna lævis.** A distinct and pretty species which ought to be in every collection. Fronds linear, 9 to 15 inches long, with simple, blunt pinnæ: deep green above, densely clothed beneath with rufescent or coppery scales, which are silvery and shining when young. 5s. to 10s. 6d. each.
- Drynaria morbillosa.** A noble and striking fern, forming a corona of beautifully veined, deeply pinnatifid fronds, from a thick, shaggy, creeping rhizome. 7s. 6d. to 15s.
- Gymnogramma Peruviana v. argyrophylla.** Scarce, and very distinct. Fronds covered with silvery white *farinose* powder on *both* sides. 5s. to 7s. 6d. each.
- Trichomanes radicans (speciosum).** Nice plants of this rare species, well known as the "*Killarney fern*," at 10s. 6d. each.
- Mohria thurifraga.** Very distinct, and well adapted for fern cases. 7s. 6d.
- Didymochlæna pulcherrima.** Handsome dark green shining fronds, 2 to 4 feet high. 7s. 6d. to 10s. 6d.
- Lygodium palmatum.** Climbing. Fronds small, not unlike ivy in form. Nearly or quite (?) hardy. 10s. 6d.
- Polypodium musæfolium.** 21s.

Asplenium zamiaefolium. 10s. 6d. to 21s.

Doryopteris collina (*true*). 7s. 6d. to 10s. 6d.

Lastræa heterodon. 42s.

Neottopteris Nidus. (The "Bird's Nest Fern.") 10s. 6d. to 42s.

Polypodium flexile. (*Pseud-athyrium flexile*.) A rare and elegant British fern, discovered by J. B. and Son, in the Clova Mountains, Forfarshire. 7s. 6d. to 15s.

Cystopteris montana. Rare. Breadalbane and Clova Mountains, Scotland. 5s. to 7s. 6d.

Goniophlebium cuspidatum. 7s. 6d.

Asplenium caudatum. Deep green elegant fronds, with incised tapering pinnæ. New and very fine. 7s. 6d. to 15s.

Todea pellucida. A charming species from New Zealand, with highly divided submembranaceous fronds. Not altogether unlike a large *Trichomanes*. 31s. 6d. to 42s.

TREE-FERNS.

See Introduction, page 2.

J. B. & SON are now prepared to supply the following Tree-Ferns, several, if not many of which, they believe have never before been offered to the Public.

Cyathea aculeata. A noble species, of rapid growth, with bright green, umbrageous, prickly-stemmed fronds. *Jamaica.* 63s. each.

„ **arborea.** *West Indies.*

„ **dealbata** (*Silver Tree-Fern of New Zealand*). A very elegant fern, with deep glossy green fronds, *silvery-white beneath* (when strong). Adapted for every collection, as it does not require artificial heat, except to a slight extent in winter. 31s. 6d. to 63s.

„ **elegans.** A scarce and very graceful species from *Jamaica*; with pale green tapering fronds attaining to 14 feet in length!

„ **Javanica.**

„ **medullaris.** One of the largest and *handsomest* of Tree-Ferns, as yet extremely rare in Europe. A native of *New Zealand*, and consequently preferring a cool temperature.

„ **obscens.**

Dicksonia antarctica (*The Van Diemen's Land Tree-Fern*). A fine species, forming a *crest of dark green graceful fronds, from 12 to 20 feet across!* Easy of cultivation in an ordinary greenhouse, and handsome in all stages of growth. *Fine plants,* 10s. 6d. each. *Strong ditto (forming trunks),* 31s. 6d. to 63s.

Alsophila Australis. A very scarce tree-fern from *New South Wales*, with broad, rough-stemmed fronds.

„ **Caraccasana.**

„ **Capensis** (*“ Hemitelia Capensis ”*).

„ **ferox.** 10s. 6d. to 21s.

Alsophila (*Continued*)

- „ **Guianensis** (*Miqueli and microptera*). 10s. 6d. to 21s.
- „ **radens**. Fronds rich glossy green, prickly at the base. A fine species, of rapid growth. Fine plants, 10s. 6d. to 31s. 6d. each. Extra strong ditto, 42s. to 63s.
- „ **sub-aculeata**.
- „ **sp.**
- „ **sp.**

Lophosoria pruinata (*affinis*). A handsome species; fronds 7 to 10 feet long, rather *silvery* beneath. Strongly recommended. 7s. 6d. to 21s. each.

- „ **Deckeriana** (*pruinata?*) 10s. 6d. to 21s. each.

Hemitelia horrida. 31s. 6d.

- „ **speciosa** (*integrifolia*). Fine simply pinnate *palm-like* fronds, beautifully veined. 21s. to 42s.
- „ **Karsteniana**. A magnificent fern, with large, once divided fronds. Pinnæ broad, beautifully crenate, and curiously veined.
- „ **Klotzschiana**.
- „ **spectabilis**.
- „ **Urolepis**. 10s. 6d.

Cibotium Scheidei. A beautiful species from *Mexico*, with large, much divided, gracefully drooping, pale green fronds, glaucous beneath, and densely shaggy at the base with long soft fulvous hair. 21s.

Lotzia diplazioides.

Diplazium marginatum. Recently received as “a fine tree-fern, growing to large dimensions.” 21s.

CATALOGUE OF FERNS.

* Those marked with an asterisk are *British* species ; and where printed in *italics* are more or less *uncertain*, having been received from the Continent, &c., with these names affixed.

Acrostichum

	s.	d.	s.	d.
" AUREUM (INEQUALE). W. Indies, Tropical America, and Poly- nesian Islands	7	6		

(See also *Elaphoglossum*, *Gymnopteris*, *Hymenodium*, *Platyserium*,
and *Pæcilopteris*.)

Adiantum

" AFFINE (CUNNINGHAMII). New Zealand and Norfolk Island ..	2	6	...	3	6
" ASSIMILE. N. S. Wales, Tasmania, and New Zealand...	2	6			
" BRAZILIENSE. Brazil.	3	6			
" *CAPILLUS VENERIS. Europe, N. and S. Africa, E. Indies, China, Sandwich Islands, Madagascar, N. and Central America, &c.	1	6	...	2	6
" " *IRISH VAR:	2	6			
" " MORITZIANUM	3	6			
" " BROUGHTONI	2	6			
" <i>cardiochlæna</i> ? Trop. America.					
" CAUDATUM. India, China, Mauritius, and Arabia	5	0	...	10	6
" CONCINNUM. Caraccas, C. America, and Peru	3	6			
" CRISTATUM. Jamaica, Caraccas, Cuba					
" CULTRATUM. St. Vincent, St. Catharine's (Brazil)	5	0	...	10	6
" CUNEATUM. Organ Mountains and St. Catharine's Brazil ...	1	6	...	2	6
" CURVATUM. Brazil	3	6	...	10	6
" <i>Cubense</i> ? Cuba					
" FORMOSUM. N. S. Wales and New Zealand... ..	2	6	...	5	0
" HISPIDULUM. New Zealand, Australia, Ceylon, Mauritius...	3	6			
" INTERMEDIUM (FOVEARUM). Tropical America	3	6			
" LUCIDUM. Trop. America and W. Indies	3	6	...	7	6
" lunulatum. E. Indies, Central Africa, Brazil					
" MACROPHYLLUM. W. Indies and Trop. America	3	6	...	7	6
" <i>patens</i> . Tropical S. America					

† Received as *A. patens* from the Continent, but very different from the "*A. patens*" of the "Species Filicum."
More closely allied to *A. cultratum*, of which it is probably a variety.

Adiantum (*Continued*)

							s.	d.	s.	d.
"	PEDATUM.	Canada, Virginia, California, and N. India	2	6		
"	<i>peltatum</i>	3	6		
"	<i>pentadactylon</i> (<i>cultratum</i> var?)	5	0	to	7 6
"	<i>polyphyllum</i> .	Caraccas	10	6		
"	PUBESCENS.	Australia	1	6	...	2 6
"	"	VAR?	1	6	...	2 6
"	RENIFORME.	Madeira, Teneriffe	5	0	...	7 6
"	RHOMBOIDEUM.	Trop. America...	5	0		
"	SETULOSUM.	New Zealand, Norfolk Island	2	6	...	3 6
"	TENERUM.	W. Indies and Central America	3	6	...	7 6
"	TRAPEZIFORME.	W. Indies, Central America, Brazil, &c.	3	6	...	7 6
"	<i>tetraphyllum</i> .	Venezuela	5	0		
"	WILSONI.	Jamaica				
"	<i>villosum</i> .	West Indies	3	6		

Allantodia. (*See Asplenium.*)**Allosorus.** (*See Cryptogramma.*)**Alsophila.** (*Tree-Ferns.*) *See page 5.*

"	Caraccasana.	Caraccas				
"	CAPENSIS.	Cape of Good Hope, Java, and Brazil				
"	FEROX.	Brazil and Guiana	10	6	...	21 0
"	Guianensis (<i>Miqueli</i> and <i>microptera</i>).	British Guiana	10	6	...	21 0
"	RADENS.	Brazil	10	6	...	63 0
"	sub-aculeata.	Surinam				
"	SP.				
"	SP.				

(*See also Cyathea, Lophosoria, and Hemitelia.*)**Anemia**

"	cheilanthoides				
"	DENSA	2	6	...	3 6
"	FLEXUOSA	3	6		
"	HIRTA (COLLINA).	Tropical America				
"	<i>laciniata</i>				
"	<i>longifolia</i>	3	6	...	5 0
"	<i>Mandiocana</i>	7	6		

Anemidictyon

"	PHILLITIDIS (<i>Anemia fraxinifolia</i>).	Trop. America..					3	6		
---	---	-----------------	--	--	--	--	---	---	--	--

Anchistea (*Woodwardia*)

"	VIRGINICA.	North America	7	6		
---	------------	---------------	-----	-----	-----	-----	---	---	--	--

Angiopteris

"	EVECTA.	Ceylon				
---	---------	--------	-----	-----	-----	-----	--	--	--	--

<i>Anisogonium</i> sp?				
------------------------	-----	-----	-----	-----	-----	-----	--	--	--	--

Antigramma

"	RHIZOPHYLLA.	North America	2	6		
---	--------------	---------------	-----	-----	-----	-----	---	---	--	--

Aspidium

"	COADUNATUM.	Ceylon	10	6		
---	-------------	--------	-----	-----	-----	-----	----	---	--	--

Aspidium (*Continued*)

									s.	d.	s.	d.
"	<i>ctenochlaenum</i>				
"	FALCATUM (<i>Cyrtomium</i>).	Japan	3	6	to	5 0
"	<i>Kaulfussi</i>	7	6		
"	<i>Ludowicianum</i>	3	6		
"	<i>impressum</i>	15	0		
"	MACROPHYLLUM.	W. Indies and Trop. S. America	7	6		
"	<i>pilosulum</i>	5	0		
"	<i>propinquum</i>				
"	<i>quinguangulare</i>				
"	repandum.	Malay Archipelago				
"	<i>rivulorum</i>	3	6		
"	TRIFOLIATUM.	Trop. America	3	6	...	5 0
"	SERRA	3	6	...	5 0
"	<i>vastum</i>				

(See also *Lastræa* and *Polystichum*.)

Asplenium (*Allantodia*, *Athyrium*, *Ctenopteris*, and *Darea*)

"	*ACUTUM.	Ireland and Madeira	2	6	...	5 0
"	*ADIANTUM-NIGRUM.	Europe	1	6		
"	*ALTERNIFOLIUM (GERMANICUM).	Europe	7	6		
"	ANGUSTIFOLIUM (<i>Woodwardia</i>).	North America	5	0		
"	APPENDICULATUM (<i>Ctenopteris</i>).	Tasmania	5	0		
"	AURITUM.	Trop. America				
"	AXILLARE (<i>Allantodia</i>).	Madeira	5	0		
"	BELANGERI.	Java	3	6	...	7 6
"	BIFIDUM.	Mauritius	5	0	...	7 6
"	BRACHYPTERON.	Western Africa				
"	BRAZILIENSE.	Brazil	7	6		
"	BROWNII (<i>Allantodia Australis</i>).	Australia	5	0	...	10 6
"	BULBIFERUM (<i>Ctenopteris</i>).	New Zealand	2	6	...	7 6
"	CANARIENSE.	Canaries	7	6		
"	caudatum	7	6	...	15 0
"	CICUTARIUM (<i>Ctenopteris</i> and <i>Darea</i>).	Trop. America	3	6		
"	CRENULATUM.	Brazil				
"	COMPRESSUM (FECUNDUM).	St. Helena	2	6	...	5 0
"	DECUSSATUM.	Mauritius				
"	DECURTATUM.	Brazil	5	0		
"	DISPERSUM.	Trop. America	3	6		
"	diversifolium (<i>Darea</i>).	New Zealand	5	0	...	10 6
"	EBENEUM.	North America	2	6		
"	*FILIX-FEMINA.	Europe	1	6		
"	" V. CRISPA				
"	" V. CRISTATA				
"	" V. MONSTROSA				
"	FIRMUM	5	0	...	7 6
"	FLABELLIFOLIUM.	Australia	2	6		
"	FLACCIDUM (<i>Darea odontites</i>).	New Zealand	3	6	...	10 6
"	FÆNICULACEUM				
"	FRAGRANS (PLANICAULE).	Jamaica	2	6		
"	*FONTANUM (HALLERI).	Europe	5	0		

Asplenium (*Continued*)

							s.	d.	s.	d.
"	FURCATUM.	South Africa and India	3	6	to	7 6
"	HASTATUM				
"	HEMIONITIS (PALMATUM).	South Europe	5	0		
"	heterodon	7	6	...	10 6
"	KARSTENIANUM	5	0	...	10 6
"	Klotzschianum	21	0		
"	LACERUM	5	0		
"	*LANCEOLATUM.	Europe...	3	6		
"	LUCIDUM.	New Zealand	3	6	...	5 0
"	*MARINUM.	Europe...	2	6	...	5 0
"	"	V. (?) MICRODON.	Jersey				
"	MEXICANUM.	Mexico	3	6		
"	MICHAUXII.	North America	2	6		
"	monstrosum	5	0		
"	NIDUS (see <i>Neottopteris</i>)...				
"	OBOVATUM	5	0		
"	OBTUSATUM.	Tasmania...				
"	<i>Otites</i>	5	0		
"	<i>paniculatum</i>	10	6		
"	<i>pinnatifidum</i>	5	0	...	7 6
"	POLYMORPHUM	7	6		
"	POLYODON.	New Zealand				
"	PREMORSUM.	Madeira and Trop. America	3	6		
"	PULCHELLUM.	Brazil	3	6		
"	*RUTA-MURARIA.	Europe	1	0		
"	*SEPTENTRIONALE.	Europe	3	6		
"	Serra.	Trop. America	10	6	...	21 0
"	*TRICHOMANES.	Europe	1	6		
"	"	V. INCISUM...				
"	"	MULTIFIDUM				
"	UMBROSUM (<i>Allantodia</i>).	Madeira	5	0		
"	*VIRIDE.	Europe	2	6		
"	VIVIPARUM (<i>Cænopteris and Darea</i>).	Mauritius	3	6		
"	<i>Wagnerianum</i>				
"	zamiae-folium.	Venezuela	10	6		

Balantium

"	CULCITA.	Madeira and the Azores
---	----------	------------------------	-----	-----	-----

Blechnum

"	BRAZILIENSE.	Brazil	2	6	...	10 6
"	"	CORCOVADENSE.	Brazil.	2	6	...	10 6
"	GRACILE.	Brazil.	2	6		
"	<i>australe</i>	3	6		
"	<i>Jamaicensis.</i>	Jamaica	5	0		
"	LANCEOLA.	Brazil	2	6		
"	<i>latifolium</i>				
"	INTERMEDIUM.	Brazil	3	6		
"	OCCIDENTALE.	Trop. America	2	6		
"	orientale (TRUE).	East Indies	7	6	...	10 6
"	POLYPODIOIDES	2	6		

Blechnum (*Continued*)

							s.	d.	s.	d.
"	serrulatum.	(<i>See Lomaria.</i>)								
"	TRIANGULARE.	Trop. America	3	6		

Callipteris

"	MALABARICA	(<i>Diplazium Seramporense</i>).	East Indies	...	5	0	to	15	0	
"	PROLIFERA	(<i>Diplazium</i>).	Mauritius...	...	7	6				
"	SYLVATICA	(<i>Diplazium</i>).	Mauritius and Ceylon	...						

Campyloneurum (*Polypodium*)

"	angustifolium.	Jamaica...	3	6		
"	NITIDUM.	West Indies	3	6		
"	DECURRENS.	Brazil				

Cænopteris. (*See Asplenium.*)**Cassebeera.** (*See Cheilanthes.*)**Ceterach**

"	*OFFICINARIUM.	Europe	2	6		
---	-----------------------	--------	-----	-----	-----	-----	---	---	--	--

Cheilanthes

"	ALABAMENSIS.	Southern United States	3	6	...	5	0
"	AMAUROHACHIS.	(<i>See Hypolepis.</i>)								
"	argentea.	Siberia! Lake Baikal and Altai Mountains, Kamtschatka...	10	6			
"	brachypus.	Trop. Mexico					
"	cuneata.	Mexico	5	0			
"	FARINOSA.	Arabia, Abyssinia, Nepal, East Indies...	...			7	6			
"	FRAGRANS	(ODORA). South of Europe					
"	FRIGIDA.	(<i>See Nothochlæna.</i>)								
"	LENDIGERA.	(<i>See Nothochlæna.</i>)	5	0	...	10	6
"	MICROMERA.	Mexico								
"	MICROPHYLLA.	Trop. America and West Indies	5	0			
"	multifida					
"	PROFUSA.	Namaqua Land (South Africa)	2	6	...	5	0
"	PTEROIDES.	Cape of Good Hope, Java	7	6			
"	radiata	(<i>Adiantum radiatum</i>). Trop. America and W. Indies	21	0						
"	Sieberi.	Australia	5	0	...	7	6
"	SPECTABILIS	(<i>chlorophylla</i>). Brazil	7	6	...	10	6
"	SQUAMOSA.	(<i>See Nothochlæna.</i>)								
"	TENUIFOLIA.	East Indies, Australia, New Zealand	...			3	6	...	5	0
"	tomentosa.	(<i>See Nothochlæna.</i>)								
"	VISCOsa.	Mexico and Guatemala	10	6			

Cibotium

"	BAROMETZ	(GLAUDESCENS). Phillipine Islands	10	6				
"	Schiedei.	Mexico and Guatemala	21	0				

Cryptogramma

"	*CRISPA.	Europe	1	6			
---	-----------------	--------	-----	-----	-----	---	---	--	--	--

Cyathea (*Tree-Ferns*)

"	ACULEATA.	Hispaniola...	63	0			
"	arborea.	West Indies					
"	dealbata.	New Zealand	31	6	...	63	0
"	elegans.	West Indies	105	0			

Cyathea (*Tree-Ferns*) *Continued*

s. d. s. d.

„	medullaris.	New Zealand, Norfolk Island, New Guinea, and the Islands of the Pacific
„	<i>“pubescens”</i>

Coniogramma

„	JAVANICA.	Java	5 0
---	-----------	------	-----	-----	-----	-----	-----	-----	-----

Cyclodium

„	confertum.	Guiana
---	-------------------	--------	-----	-----	-----	-----	-----	-----	-----

Cyclopeltis

„	SEMICORDATA.	Jamaica
---	--------------	---------	-----	-----	-----	-----	-----	-----	-----

Cystopteris

„	*ALPINA.	Europe	5 0
„	BULBIFERA.	North America	2 6
„	*DENTATA.	Europe	1 6
„	*FRAGILIS.	Europe	1 6
„	*DICKIEANA.	Scotland	3 6
„	*montana.	Europe	5 0 to 10 6

Darea. (*See Asplenium.*)**Davallia**

„	BULLATA.	Nepal, Assam	3 6 ... 7 6
„	†VAR?
„	CANARIENSIS.	Canaries, Portugal, Madeira	2 6 ... 5 0
„	DISSECTA.	Malay Archipelago	5 0
„	ELEGANS.	China, Java, Trop. Australia, Tahiti, and Madagascar	5 0
„	KHASIYANA.	India, Ceylon, and Java
„	KUNZEANA.	Mountains of Java
„	Novæ Zealandiæ.	<i>(See Microlepia.)</i>							...
„	PENTAPHYLLA.	Malay Archipelago	3 6
„	POLYANTHA.	Malacca	7 6
„	PYXIDATA.	Australia and Norfolk Island	3 6
„	SOLIDA.	Pacific Islands and Java	5 0
„	tenuifolia.	East Indies, Mauritius, China, Java, and Madagascar	15 0 ... 21 0
„	<i>trichostica</i>	Isle of Samar	7 6 ... 10 6

Dicksonia—

„	ANTARCTICA	<i>(Van Diemen's Land Tree-Fern).</i>					Tasmania and New South Wales	10 6 ... 63 0
„	<i>scandens</i>	<i>(Sitolobium?)</i>	Java	5 0
„	STRIGOSA	<i>(Sitolobium?)</i>	Japan	7 6 ... 10 6
„	CICUTARIA	(TENERA) <i>(Sitolobium?)</i>	3 6 ... 5 0
		<i>(See also Sitolobium.)</i>										

Didymochlæna—

„	TRUNCATULA (SINUOSA).	Malay, Archipelago, and Trop. South America	7 6 ... 21 0
„	PULCHERRIMA (TRUNCATULA?)	7 6 ... 21 0

Diplazium—

„	<i>arborescens.</i>	St. Helena
---	---------------------	------------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Goniopteris

							s.	d.		s.	d.
"	ASPLENIOIDES.	Jamaica	5	0	to	7	6
"	CRENATA	West Indies	3	6			
"	FRAXINFOLIA	West Indies	5	0			
"	PROLIFERA.	East Indies					
"	TETRAGONA.	West Indies	5	0			

Grammitis. (*See Leptogramma.*)**Gymnogramma**

"	" <i>aspidioides</i> "	3	6			
"	CALOMELANOS.	Trop. America...	3	6	...	5	0
"	CHÆROPHYLLA.	West Indies and Trop. America	2	6			
"	GRACILIS.	(<i>See Leptogramma.</i>)									
"	" <i>flavescens</i> "	10	6			
"	JAVANICA.	(<i>See Coniogramma.</i>)									
"	LANATA	5	0	...	10	6
"	LEPTOPHYLLA.	South Europe and Madeira	2	6			
"	L'HERMINIERI.	Guadaloupe	5	0			
"	LUTEO-ALBA	7	6			
"	MARTENSII.	Trop. America	3	6	...	5	0
"	monstrosa	7	6			
"	OCHRACEA.	Trop. America	2	6			
"	Peruviana.	Peru	7	6			
"	" v. argyrophylla.	Peru	5	0	...	10	6
"	<i>polypodioides</i>	3	6			
"	PULCHELLA.	Venezuela	10	6			
"	RUFA.	Venezuela	10	6			
"	rutæfolia.	Australia					
"	SULPHUREA.	West Indies	5	0			
"	TARTAREA (DEALBATA)	Trop. America	3	6	...	5	0
"	TOMENTOSA.	West Indies and Brazil	2	6	...	3	6

Gymnopteris

"	aliena.	West Indies					
---	----------------	-------------	-----	-----	-----	-----	--	--	--	--	--

Hemidictyum

"	MARGINATUM.	Trop. America					
---	-------------	---------------	-----	-----	-----	-----	--	--	--	--	--

Hemionitis

"	CORDATA	East Indies	7	6	...	10	6
"	PALMATA	West Indies...	3	6			

Hemitelia

See page 6.	"	CAPENSIS.	(<i>See Alsophila.</i>)								
	"	GRANDIFOLIA ?	Trop. America...	42	0	...	63	0
	"	Karsteniana.									
	"	Klotzschiana.									
	"	speciosa ("integrifolia")	Caraccas. Brazil	31	6	...	42	0
	"	<i>spectabilis.</i>									
	"	horrida.	Trop. America					
	"	<i>Urolepis</i>	10	6			
	"	SPECIES ?	42	0			

Hymenodium (*Dictyoglossum*)

"	crinitum.	Trop. America.					
---	------------------	----------------	-----	-----	-----	-----	--	--	--	--	--

								s.	d.	s.	d.
Hymenolepis											
"	REVOLUTA	3	6		
Hymenophyllum											
"	CUSPIDATUM.	Tasmania				
"	FLABELLATUM.	Tasmania				
"	*TUNBRIDGENSE.	Europe, Madeira, S. Africa, Chili, Brazil									
	Tasmania	3	6	to	5 0
"	*UNILATERALE (WILSONI).	England, Scotland, and Ireland;									
	Cape of Good Hope, Bourbon, Tasmania, Chiloe...							2	6	...	5 0
Hypoderris											
"	Brownii.	Trinidad	15	0		
Hypolepis											
"	DICKSONIODES.	W. Indies	2	6		
"	AMAUORRHACHIS.	Australia	7	6		
Lastræa											
"	ACUMINATA (RILEYANA)	3	6		
"	AUGESCENS.	Cuba	5	0		
"	*CRISTATA.	Europe	3	6	...	5 0
"	CHRYSOLOBA.	Brazil	5	0		
"	Comptoniana (ASPIDIUM)	7	6		
"	DECOMPOSITA (Nephrodium).	Australia	3	6		
"	DECURRENS (Polyp. decursive-pinnatum).	China	2	6		
"	decussata.	Mauritius				
"	*DILATATA (multiflora).	Europe	1	6		
"	" V. GLANDULOSA	2	6		
"	*FILIX-MAS.	Europe	1	0		
"	" V. ABBREVIATA	2	6		
"	" V. BORRERI	3	6		
"	" V. CRISTATA	2	6	...	5 0
"	GLABELLA.	New Zealand	3	6		
"	GOLDIEANA.	North America	5	0		
"	"heterodon" (Hemitelia?)	42	0		
"	MARGINALIS.	North America	3	6		
"	NOVEBORACENSIS.	North America	2	6		
"	*OREOPTERIS.	Europe	1	6		
"	patens.	Trop. America				
"	PODOPHYLLA (Pycnopteris Sieboldii).	China...	2	6	...	7 6
"	PUBESCENS.	Jamaica	3	6		
"	*RECURVA (Fœnicisciï).	Europe	2	6		
"	*RIGIDA.	Europe	2	6		
"	spinescens	3	6		
"	*SPINOSA.	Europe	2	6		
"	*THELYPTERIS.	Europe	2	6		
"	villosa.	Jamaica				

Lepicystis ("Goniophlebium")

"	sepulta.	Brazil				
"	incana.	Trop. America	10	6	...	15 0
"	LANATA				

Leptogramma

							s.	d.	s.	d.
"	ASPLENIOIDES.	Trop. America...	7	6		
"	GRACILIS (<i>Grammitis Hewardii</i>)					
"	LINKIANA.	Brazil	5	0		
"	RUPESTRIS.	Trop. America...	5	0		
"	VILLOSA.	Venezuela	7	6		

Litobrochia ("Pteris")

"	<i>aurita</i>	7	6		
"	DENTICULATA.	Brazil	3	6		
"	GRANDIFOLIA.	Trop. America				
"	LEPTOPHYLLA.	Brazil	5	0		
"	NEMORALIS.	E. Indies and Tropics generally	2	6		
"	VESPERTILIONIS.	Australia and New Zealand	3	6		

Lomaria

"	ALPINA.	Tasmania, New Zealand, Sts. of Magellan	2	6		
"	" <i>arborescens</i> "				
"	ATTENUATA.	Mauritius.				
"	<i>campylotis</i>	7	6		
"	GILLIESII.	Chili...	3	6		
"	HASTATA				
"	<i>L'Hermieri</i>				
"	NUDA.	Tasmania	3	6	to	5 0
"	PATERSONI.	Tasmania	3	6		
"	*SPICANT.	Europe	1	0		
"	" *V. MULTIFIDA				
"	<i>serrulata</i> .	Trop. America				
"	<i>species</i> from Australia				

Lomariopsis (STENOCHLENA)

"	<i>heteromorpha</i>				
---	---------------------	-----	-----	-----	-----	-----	--	--	--	--

Lotzea

"	<i>diplazioides</i> (<i>Tree-Fern</i>)				
---	--	-----	-----	-----	-----	-----	--	--	--	--

Lonchitis

"	<i>pubescens</i> .	Mauritius				
"	GHEISBRECHTII.	S. America ?				

Lophosoria (*Alsophila*) *Tree-Fern*

"	<i>Deckeriana</i> (<i>pruinata</i> ?)						} See page 6 {			
"	<i>pruinata</i> (<i>affinis</i>)									
						Jamaica.	10	6	...	21 0
							10	6	...	21 0

Lopholepis (*Polypodium*)

"	PILOSELLOIDES.	W. Indies	3	6		
"	SERPENS.	W. Indies	3	6		
"	VACCINIIFOLIA.	Brazil	3	6		
"	SP.	3	6		

Lygodium

"	HASTATUM	7	6	...	10 6
"	<i>Japonicum</i> .	China and Japan	7	6		
"	<i>Mexicanum</i> .	Mexico				
"	PALMATUM.	N. America	7	6	...	10 6
"	<i>polymorphum</i>	7	6	...	10 6
"	SCANDENS.	Trop. America	3	6	...	7 6

								s.	d.	s.	d.
Marattia											
"	CICUTÆFOLIA.	Brazil	10	6		
"	MACROPHYLLA				
"	MICROPHYLLA	31	6		
Meniscium											
"	PALUSTRE.	Brazil				
"	SIMPLEX.	China.				
Mesochlæna											
✓ "	JAVANICA.	Java	15	0		
Microlepia											
"	HIRTA.	Sandwich Islands	5	0		
"	Novæ Zealandiæ.	New Zealand	10	6		
"	polypodioides.	Trop. Australia, India, Java, China, and Sandwich Islands	3	6		
Mohria acchilleæfolia											
"	THURIFRAGA.	South Africa and Mauritius	7	6		
Neottopteris ("Asplenium")											
"	AUSTRALASICA ?	Australia				
"	NIDUS	Australia and E. Indies	10	6	42	0
Nephrodium											
"	ARTICULATUM.	Ceylon				
"	MOLLE.	Tropics generally	1	6		
"	PATENS.	Demerara				
"	PENNIGERUM				
"	<i>Schkuhræi</i>	2	6		
"	TERMINANS.	Phillipine Islands	3	6	5	0
"	TETRAGONUM. (<i>See Goniopteris.</i>)										
"	UNITUM.	Tropics	3	6		
Nephrolepis											
"	DAVALLIOIDES.	Malay Arch.	10	6	15	0
"	EXALTATA.	Trop. America...	2	6		
"	HIRSUTULA.	E. Indies	5	0		
"	PECTINATA. (<i>See Polypodium.</i>)										
"	<i>platyotis</i>	3	6		
"	TUBEROSA (NEGLECTA).	East Indies	1	6		
Nevrodium											
"	LANCEOLATUM (<i>polypodium</i>).	Jamaica	3	6		
Niphobolus											
"	LINGUA (CHINENSIS).	China and Japan	2	6		
"	RUPESTRIS.	Australia	2	6		
"	PERTUSUS.	East Indies	3	6		
Nothochlæna											
"	canescens.	Mexico	7	6	10	6
"	chrysophylla.	Northern India ("Khasiya") ?	10	6	15	0
"	DISTANS. (<i>See Cheilanthes profusa.</i>)										
"	"FRIGIDA" (LENDIGERA VERA ?)					
"	ECKLONIANA.	South Africa	5	0	7	6
"	LEVIS.	Mexico	7	6	10	6
"	LANUGINOSA.	South Europe and Algeria	7	6		

Nothochlæna (*Continued*)

							s.	d.	s.	d.
"	"LENDIGERA"	(ELEGANS).	High Mountains of Mexico and Peru				7	6		
"	MARANTÆ.		South Europe and Madeira	7	6		
"	NIVEA.		Mexico, Chili, and Peru	3	6	...	7 6
"	RUFA.		Mexico and Trop. South America	7	6		
"	squamosa.		"San Luis" (La Plata)				
"	TENERA.		Chili	3	6	to	7 6
"	TRICHOMANOIDES.		Jamaica and Trop. America				
"	tomentosa.		Mexico and Southern United States	7	6	...	15 0
"	VESTITA.		Southern United States, California, and Oregon							

Oleandra

"	HIRTELLA	10	6	...	21 0
"	NODOSA.	Trop. America	10	6		

Olfersia

"	CERVINA.	Trop. America	5	0		
---	----------	---------------	-----	-----	-----	-----	---	---	--	--

Onychium

"	AURATUM	(<i>Pteris chrysocarpa</i>).	East Indies	7	6	...	10 6
"	JAPONICUM	(<i>Ctenopteris</i>).	Mountains of Japan				

Osmunda

"	GRACILIS.	North America?	5	0		
"	CINNAMOMEA.	North America	7	6		
"	*REGALIS.	Europe, Asia, America, and South Africa	3	6	...	5 0
"	SPECTABILIS	(<i>Regalis?</i>)	North America	5	0		

Onoclea

"	SENSIBILIS.	North America	2	6	...	3 6
---	-------------	---------------	-----	-----	-----	-----	---	---	-----	-----

Pellæa (*Platyloma*)

"	ADIANTOIDES.	South Africa	3	6		
"	ATROPURPUREA.	North America	5	0		
"	CALOMELANOS.	Mexico	7	6		
"	CORDATA.	Mexico	3	6		
"	FLEXUOSA.	Peru, Columbia, and Mexico	5	0		
"	GERANIIFOLIA.	East Indies and Polynesia	2	6	...	3 6
"	HASTATA.	South Africa	2	6	...	3 6
"	INTRAMARGINALIS.	Mountains of Mexico and Guatemala	3	6		
"	TERNIFOLIA.	Mexico	7	6		

Phlebodium

"	AUREUM.	Trop. America	3	6		
"	GLAUCUM.	7	6		
"	SPORODOCARPUM.	Trop. America				

Photinopteris

"	<i>Horsfieldii?</i>	31	6		
---	---------------------	-----	-----	-----	-----	-----	----	---	--	--

Phymatodes (*Polypodium*)

"	BILLARDIERI	(SCANDENS).	New Zealand and Australia	3	6		
"	CRASSIFOLIA	(<i>Anaxetum</i>).	Trop. America	3	6		
"	ITEAPHYLLA.		Brazil	3	6		
"	IRIODES.		Mauritius, East Indies, and Australia	3	6		
"	JUGLANDIFOLIA.		East Indies	3	6		
"	LONGISSIMA.		Malay Archipelago	7	6		

Phymatodes (*Polypodium*) *Continued*

					s.	d.	s.	d.
"	PUSTULATA.	New Zealand	2	6		
"	MEMBRANACEA.	East Indies	7	6		
"	VULGARIS (POLYPODIUM PHYMATODES).	Tropics	2	6		

Physematium. (*See Woodsia*).

Platyserium (*Acrostichum*)

"	ALCICORNE.	East Indies and Australia	2	6	to	5	0
"	GRANDE.	Australia	42	0			
"	STEMMARIA.	Western Africa (Sierra Leone?)	31	6			

Platyloma

"	BROWNII.	Australia	7	6			
"	FALCATA.	Australia and New Zealand	3	6			
"	ROTUNDIFOLIA.	New Zealand	3	6			
"	" VAR.			

(*See also Pellaea.*)

Pleopeltis

"	VENOSA (<i>Polypodium</i>).	Trop. America	3	6			
"	NITIDA	3	6			
"	SQUAMULOSA.	Brazil	5	0			
"	<i>pinnatifida</i> (LEPICYSTIS INCANA?)								

Pœcilopteris

"	FLAGELLIFERA (<i>Acrostichum</i>).	East Indies	3	6			
---	--------------------------------------	-------------	-----	-----	---	---	--	--	--

Polybotria

"	PUBENS			
"	SERRATIFOLIA.	(<i>See Soromanes</i>).			

Polypodium

"	AFFINE ?			
"	*ALPES TRE (<i>Pseud-athyrium</i>).	Europe	3	6			
"	APPENDICULATUM (SCRIPTUM).	Mexico	21	0			
"	<i>areolatum</i>	7	6			
"	<i>Brownii</i>	2	6			
"	*CALCAREUM.	Europe	2	6			
"	CONCINNUM	3	6			
"	<i>Cunninghamii</i>	5	0			
"	<i>capellatum</i>	7	6			
"	DECURRENS (<i>See Campyloneurum</i>).								
"	<i>dimorphum</i>			
"	<i>diversifrons</i>	7	6			
"	<i>drepanopterum</i>	5	0			
"	DREPANUM.	Madeira	3	6	...	5	0
"	*DRYOPTERIS.	Europe	1	6			
"	EFFUSA.	West Indies			
"	*FLEXILE (<i>Pseud-athyrium</i>).	Clova Mountains, (Scotland), Vosges, (France), and Russia ?	5	0	...	10	6
"	grandidens (<i>See Goniophlebium cuspidatum</i>).								
"	<i>hexagonopterum</i>	3	6			
"	HIRSTISSIMUM.	Brazil			
"	KARWINSKIANUM.	Mexico	3	6			
"	<i>latum</i>	3	6			

Polypodium (*Continued*)

							s.	d.	s.	d.
"	LACHNOPODUM.	Jamaica	21	0		
"	lanatum	(<i>Lepicystis?</i>)...				
"	LATIPES	(<i>See Goniophlebium</i>).								
"	<i>longifolium</i>	3	6		
"	longissimum	(<i>See Phymatodes</i>).								
"	<i>Moritzianum</i>	3	6		
"	musæfolium	21	0		
"	<i>nigripes</i>				
"	<i>otites</i>	2	6		
"	PECTINATUM	("PARADISÆ").	Trop.	America	2	6		
"	<i>peltidum</i>	3	6		
"	PENNIGERUM	(<i>See Goniopteris</i>).								
"	<i>pinnatifidum</i>	3	6		
"	polyanthos	7	6	to	10 6
"	*PNEGOPTERIS.	Europe	1	6		
"	PLUMULUM	7	6		
"	PROLIFERUM	(<i>See Goniopteris</i>).								
"	<i>pulverulentum</i>	5	0		
"	<i>ramosum</i>				
"	RUGULOSUM.	Australia and New Zealand	3	6		
"	<i>spectabile</i>	10	6	...	42 0
"	sub-petiolatum.	Mexico				
"	<i>taniosum</i>	5	0		
"	<i>vaccilans</i>	2	6		
"	*VULGARE.	Europe	1	0		
"	"	v. *CAMBRICUM	2	6		
"	"	v. UNDULATUM	2	6		
"	sp.	Brazil				
"	sp. from Para	(Brazil)				

Polystichum

"	ACROSTICHOIDES.	North America	2	6		
"	*ANGULARE.	Europe	2	6		
"	CAPENSE.	South Africa...	3	6		
"	CONIFOLIUM.	Ceylon	5	0		
"	CORIACEUM	E. Indies	3	6		
"	curvifolium				
"	FALCINELLUM.	Madeira	7	6		
"	FLEXUM	5	0	...	7 6
"	*LOBATUM.	Europe	1	6		
"	"	v. *ACULEATUM	2	6		
"	"	" VIVIPARUM				
"	"	v. *LONCHITIDIoidES	2	6		
"	*LONCHITIS.	Europe	3	6	...	5 0
"	PROLIFERUM.	Tasmania	3	6		
"	VESTITUM.	New Zealand	7	6		
"	SP	Juan Fernandez...	5	0	...	10 6

Pteris

"	ARGUTA.	South Europe	3	6		
"	ASPERICAULIS.	Nepal?	10	6		

Pteris (*Continued*)

s. d. s. d.

"	CAUDATA (<i>aquilina</i> var?)	North America	2	6		
"	CRENATA (CHINENSIS).	East Indies and China	2	6		
"	FLABELLATA.	South Africa	5	0		
"	<i>gigantea</i>	10	6		
"	<i>hirsuta</i>		
"	LATA.	Brazil	5	0		
"	LONGIFOLIA.	Tropics	2	6		
"	PEDATA. (<i>See Pellaea geraniifolia</i>).								
"	<i>repandula</i>	3	6		
"	SEMI-PINNATA.	East Indies	7	6		
"	SERRULATA.	East Indies	1	6		
"	STENOPHYLLA	5	0		
"	TREMULA.	Australia and New Zealand...	2	6	to	3 6
"	" VAR?...		
"	UMBROSA.	Australia	5	0		

Salpichlæna

"	VOLUBILE (<i>Blechnum</i>)								
---	------------------------------	--	--	--	--	--	--	--	--

Scolopendrium

"	KREBSII.	Natal and Albany District (S. Africa)...							
"	*OFFICINARIUM (VULGARE).	Europe	1	0		
"	" numerous varieties	2	6	...	3 6

Sitolobium (Dicksonia)

"	ADIANTOIDES.	Hispaniola				
"	DAVALLIODES.	Port Jackson	2	6	...	3 6
"	NITIDULUM...	7	6		
"	PUNCTILOBUM (PILOSIUSCULUM).	Canada and United States	2	6		
"	RUBIGINOSUM.	Brazil, Mexico, and Peru	5	0		

Soromanes

"	serratifolium (<i>Polybotria</i>).	Venezuela	15	0		
---	--------------------------------------	-----------	-----	-----	-----	----	---	--	--

Stenochlæna

"	heteromorpha. (<i>See Lomariopsis</i> .)								
"	SCANDENS (<i>Acrostichum</i>).	East Indies, Malay, Archipelago				7	6		

Stenosemia

"	AURITA.	Java	10	6	
---	---------	------	-----	-----	-----	-----	----	---	--

Struthiopteris

"	GERMANICA.	Europe	2	6	...	7 6
"	PENNSYLVANICA.	North America	3	6		

Todea

"	PELLUCIDA.	New Zealand	31	6	
---	------------	-------------	-----	-----	-----	-----	----	---	--

Trichomanes

"	RADICANS (SPECIOSUM).	Ireland and Madeira	10	6		
"	venosum.	Tasmania, N. S. Wales, and New Zealand	21	0		

Woodsia

"	*ALPINA (HYPERBOREA).	Scotland, Wales, Savoy				
"	*ILVENSIS.	Britain, Norway, Greenland, Altai Mountains	5	0	...	7 6
"	MOLLIS (<i>Physematium</i>).	Mexico	3	6		
"	OBTUSA (PERRINNIANA).	United States and Oregon...	3	6		

Woodwardia

s. d. s. d.

,, VIRGINICA (*See Anchistea*)

Lycopodium

,, *ALPINUM

,, *ANNOTINUM

,, *SELAGO

,, PHLEGMARIA

Selaginella (*"Lycopodium"*)

,, AFRICANA 3 6

,, ALATA 2 6

,, APODA 2 6

,, ARILÆ

,, ASPLENIFOLIA 2 6

,, CÆSIA 1 6

,, CAULESCENS 3 6

,, CIRCINALIS 3 6

,, CORDIFOLIA 5 0

,, DENSA 2 6

,, DENTICULATA 1 6

,, DICHOTOMA 3 6

,, DICHROUS 3 6

,, GALLEOTIANA 2 6

,, HELVETICA 1 0

,, HUGELII 2 6

,, INEQUALIFOLIA 2 6

,, LEVIGATA 3 6

,, LEPIDOPHYLLA 5 0 to 10 6

,, MARTENSH (*ROBUSTA*) 2 6 ... 3 6

,, OBTUSA 2 6

,, PARADOXA... .. 3 6

,, PLUMOSA

,, PEPPIGEANA 2 6

,, PULLA 2 6

,, RIGIDA 3 6

,, SCHOTTH 2 6

,, STOLONIFERA 1 6

,, SULCATA 2 6

,, UMBROSA 3 6

,, VITICULOSA 2 6 ... 5 0

,, VARIABILIS 3 6

,, WILDENOVII 3 6

ORCHIDEÆ.

		s.	d.
ACROPERA concolor	...	10	6
Loddigesii	...	7	3
ÆRIDES affine	42s. to	105	0
odoratum	15s. to	21	0
„ major	...	31	6
crispum or Brookeii	...	42	0
Fox Brush...	...	63	0
quinquevulnerum	...	42	0
roseum	...	42	0
rubrum
suavissimum	63s. to	105	0
virens	...	63	0
ANÆCTOCHILUS setaceus aureus	...	21	0
angustifolius	...	42	0
argenteus	5s. to	7	6
Lowii	...	42	0
ANGRÆCUM bilobum	...	42	0
BARKERIA elegans	...	42	0
Skinnerii major	...	21	0
spectabilis	...	21	0
BRASSIA Lanceana	...	10	6
maculata	...	7	6
verrucosa	...	21	0
BROUGHTONIA sanguinea	10s. 6d. to	21	0
BURLINGTONIA Granadensis	...	10	6
rigida	...	10	6
venusta	21s. to	42	0
CALANTHE veratrifolia	...	10	6
vestita lutea	21s. to	42	0
„ rubra	21s. to	42	0
CALOPOGON verecundum	...	7	6
CAMEROTIS purpurea	10s. 6d. to	15	0
CATTLEYA Acklandiæ	42s. to	105	0
amabilis
amethystina	10s. 6d. to	42	6
bulbosa (Walkeriana)
candida	21s. to	42	0
citrina	21s. to	42	0
crispa	10s. 6d. to	21	0
„ atropurpurea
elegans	63s. to	210	0
granulosa	10s. 6d to	31	6
guttata	42s. to	105	0
Harrisonia	...	10	6
Ianthina
labiata	...	42	0
„ atropurpurea
„ picta
„ purpurea
„ splendens
„ venusta
lobata	...	105	0
cuculatum	5s. to	10	6

		s.	d.
Leopoldii	...	42	0
Loddigesii	...	21	0
luteola	...	21	0
„ var. sulphurina	...	21	0
magnifica
marginata (Pinelli var.)	42s. to	105	0
maxima	63s. to	210	0
Mossiæ	10s. 6d. to	21	0
„ aurantia
„ gigantea
„ rosea	...	42	0
„ superba	21s. to	63	0
mutabilis
Pinelli	42s. to	63	0
quadricolor
reflexa macrophylla
Skinnerii	10s. 6d. to	21	0
Sp. from Quindos (maxima
var.)	63s. to	210	0
Sp. from Rio Grande de St. Pedro
superba (Von Martius's)	...	63	0
tigrina
Trianaei (Warcewiczii)
violacea (Harrisoniana)	...	10	6
„ superba	...	42	0
Wagnerii
Walkeriana (bulbosa)
Sp. volcano of Chiriqui
Sp. Rio Francisco
Sp. from Bahia
numerous species and vars.
(unproved) from Brazil
CHYSIS bractescens	...	42	0
Limminghii
CÆLIA Baueriana	...	7	6
CÆLOGYNE cristata	...	42	0
maculata	10s. 6d to	21	0
Wallichii	...	21	0
CYMBIDIUM giganteum	...	10	6
CYPRIPEDIUM barbatum	...	21	0
insigne	2s. 6d. to	5	0
spectabile	...	3	6
venustum	3s. 6d. to	7	6
DECKERIA undulata
DENDROBIUM aduncum	...	21	0
aggregatum major	15s. to	21	0
aureum	...	21	0
æmulum	...	10	6
cœrulescens	10s. 6d. to	21	0
calceolaria	10s. 6d. to	42	0
Cambridgeanum	...	42	0
chrysanthum	10s. 6d. to	31	6
clavatum	...	42	0

	s.	d.		s.	d.
DENDROBIUM cupræum	..	10 6	MONOMERIA nitida	...	21 0
Dalhousieanum	...	63 0	OBONTOGLOSSUM citrosum	21s. to	42 0
densiflorum	... 21s. to	42 0	cordatum	...	31 6
Devonianum	... 21s. to	42 0	grande	... 10s. 6d. to	31 6
Farmerianum	...	63 0	hastilabium	...	63 0
fimbriatum...	10s. 6d. to	21 0	pulchellum...	...	21 0
„ maculatum	... 21s. to	42 0	Reichenheimi	...	42 0
formosum	... 21s. to	42 0	Warcewiczii	...	63 0
„ (summer flowering)	...		ONCIDIUM albo violaceum	...	31 6
Gibsonii	...	21 0	altissimum	...	10 6
Griffithii	... 21s. to	42 0	ampliatum	...	10 6
Jenkinsii	... 10s. 6d. to	21 0	Batemannii	...	21 0
Kingianum	...	10 6	Carthaginense	...	21 0
macrophyllum	... 21s. to	42 0	ciliatum	...	21 0
moniliforme...	10s. 6d. to	21 0	divaricatum	...	15 0
moschatum...	... 21s. to	31 6	flexuosum	...	7 6
nobile	... 10s. 6d. to	42 0	Harrisonianum	...	10 6
„ var. roseum	... 21s. to	42 0	Lanceanum	... 21s. to	42 0
Paxtoni	... 21s. to	42 0	leucochilum	...	15 0
Pierardi	... 5s. to	15 0	Papilio	... 7s. 6d. to	15 0
v. latifolium	...	10 6	„ superba	...	
pulchellum...	.. 7s. 6d. to	15 0	phymatochilum	... 21s. to	42 0
sanguinolentum	...	21 0	pulvinatum...	10s. 6d. to	21 0
speciosum	... 7s. 6d. to	10 6	roseum	...	15 0
transparens	...	31 6	sphacelatum	10s. 6d. to	21 0
tridenium	...	42 0	stramineum	...	21 0
virgatum	... 42s. to	63 0	PAPHINIA tigrina (Houlletia)	...	
Wallichianum	...	21 0	PLEIONE maculata (Cœlog.)	10s. 6d. to	21 0
ERIDENDRUM aurantiacum	...	21 0	Wallichii	...	21 0
ciliare	...	5 0	PHALÆNOPSIS grandiflora	...	63 0
cinnabarium	...	10 6	PHAIUS maculatus	...	7 6
fragrans	...	10 6	grandifolius	...	7 6
vitellinum majus	...	31 6	„ giganteus	...	10 6
GONGORA atropurpurea...	...	10 6	RENANTHERA coccinea	...	10 6
fulva	...	10 6	SACCOLABIUM Blumei	...	84 0
maculata	...	10 6	Blumei major	... 84s. to	210 0
„ alba	...	15 0	guttatum	... 84s. to	210 0
verticillata...	...	21 0	pretorsum	...	105 0
GRAMMATOPHYLLUM multiflorum...	63 0		retusum	...	84 0
HUNTLEYA meleagris	...	63 0	SARCANTHUS rostratus	...	5 0
LELIA acuminata	10s. 6d. to	21 0	SOBRALIA macrantha	... 21s. to	42 0
anceps	... 10s. 6d. to	21 0	SOPHRONITIS grandiflora	42s. to	63 0
„ v. Barkeri	...	21 0	violacea	...	21 0
autumnalis...	...	21 0	cernua	...	21 0
Bryasiana	... 63s. to	105 0	STANHOPEA Bucephalus	...	21 0
cinnabarina	... 21s. to	42 0	eburnea	...	10 6
Perrinii	... 21s. to	42 0	grandiflora	... 7s. 6d. to	10 6
„ superba	...	63 0	graveolens	...	21 0
purpurata	... 63s. to	210 0	insignis	... 7s. 6d. to	21 0
„ gigantea	...		Martiana	...	21 0
rubescens	...	42 0	oculata	... 10s. 6d. to	42 0
superbiens	...	42 0	quadricornis	...	21 0
sp. nova from Brazil...	...		tigrina	... 10s. 6d. to	31 6
LYCASTE aromatica	...	10 6	Wardii	...	21 0
cruenta	...	21 0	TRICHOPILIA suavis	... 42s. to	105 0
Skinneri	... 10s. 6d. to	21 0	VANDA cœrulea	... 42s. to	63 0
„ var.	... 10s. 6d. to	21 0	Roxburghii cœrulea	... 21s. to	42 0
MAXILLARIA Brocklehurstiana	...	21 0	teres	...	21 0
Harrisoniæ...	... 7s. 6d. to	10 6	ZYGOPETALUM Mackaili	...	10 6
MILTONIA spectabilis	...	15 0	maxillare	...	15 0
Morelliana	...	42 0	crinitum	... 10s. 6d. to	21 0